



CLOSE QUARTERS TUBE CUTTERS

FEATURES

Designed for plumbing, commercial boiler, and air conditioning jobs. With no swing space needed, it's the perfect tool for jobs in tight areas. This adjustable cutter ranges from ¼" – 2-3/8" O.D. non-ferrous and plastic materials. The 4992 cuts thin-walled material like traps and tailpieces, with no distortion and is great for under vanities, close to walls, waste and overflows. Optional cutter wheel for plastic is also available. **WHEELER-REX designs and manufactures the hardest working tube tools. Period.**

O.D. CAPACITY

- ¼" - 2 3/8" (6mm - 59mm)


WEIGHT

- 1.1 lbs. (0.5 kg)

SPECIFICATIONS

- Shipping weight - 1.5 lbs. (.7kg)

4992 Close Quarters Cutter



Item	Part No	Description	Qty
1	701518	LOWER JAW	1
2	701517	UPPER JAW	1
3	701090	THREADED PIN	1
4	701089	UPPER PIN	1
5	701088	SMALL ROLLER	2
6	701087	LARGE ROLLER	2
7	275811	KLIP RING 5304-31	1
8	275389	3/32" DIA x 5/8" ROLL PIN	1
9	277286	BALL DETENT PIN	1
10	220277	THREADED SHAFT	1
11	8038	CUTTER WHEEL	1
12	220276	KNOB	1
13	275810	BOKER WASHER .320 ID x .560 OD x .04 TK	2
14	277274	1/4" Dia X 1 3/8" LONG DOWEL PIN	3
15	277273	3/16" Dia X 1 3/8" LONG DOWEL PIN	2

TUBING TOOLS

Wheeler-Rex offers you one of the most diverse and fastest growing lines of tools and equipment for tube cutting, flaring and assembly. If you're looking for great selection, performance and durability in hard working tubing tools, insist on Wheeler-Rex.



► **Model 2590 Pipe Cutter**

Discontinued

Unique design for accurate cutting in confined areas. For use on thin SS, copper, thin wall PVC & CPVC from 1/8" - 3/8" OD (3-9mm).



► **Model 2790 Pipe Cutter**

Discontinued

Larger version of Model 2590 for cutting thin SS, copper or thin wall PVC & CPVC from 5/16" to 1-1/8" OD (8-28mm).



► **Mini Tubing Cutters**

Model 90722 for 1/4" - 7/8" OD (6-22mm) and Model 90728 for 1/8" - 1-1/8" OD (3-27mm). For accurate cutting of copper, brass, aluminum & SS tubing.



► **Telescoping Tubing Cutter**

Model 90735 features a telescopic wheel-feeding system which keeps the turning radius constant. For 1/4" - 1-3/8" OD (3-35mm) copper, brass, aluminum & SS tubing. Retractable swivel deburring tool & spare cutter wheel included.



► **Quick Release Tubing Cutter**

Model 90750 for 1/4" - 2-5/8" OD (6-67mm) copper, brass, aluminum tubing, thin walled conduit. Change the wheel and you can cut plastic. Swivel deburring tool stored in body. Comes with two cutter wheels.



► **Quick Release Tubing Cutter**

Model 90751 for 2" - 5" (50-127mm) and Model 90752 for 4" - 6-5/8" OD (100-168mm) plastic, non-ferrous metal pipe. Spring loaded wheel-feeding system allows slide-action size adjustment and quick-release. Swivel deburring tool stored in body.



► **Deburring Tool**

Model 920 is ideal for removing internal burrs in copper, plastic, aluminum & steel tubing. Features long lasting REPLACEABLE high-speed steel blade and plastic handle with built-in pocket clip.

WHEELER-REX PIPE TOOLS

TUBING TOOLS



► **Model 4990 Close Quarter**

Designed for those tight spaces where standard cutters just don't have the room! Same cutter wheel cuts both plastic and non-ferrous materials from 1/4" - 2-3/8" OD (6-59mm).



► **Copper Tube Cleaners**

Cleans inside & outside 1/2" & 3/4" copper tubing. Replaceable high carbon steel bristles extend tool life beyond that of disposable brushes. Available with or without built-in deburring plate.



► **4700 Hammerhead Flaring Tool**

4 Interchangeable heads flare 3/4" - 2" copper pipe. The 6 lb. slide hammer is easier & safer than regular hammers & the pressure-relieving heads allow flaring with water in the line.



Wheeler Manufacturing, Division of Rex International U.S.A., Inc.
P.O. Box 688, 3744 Jefferson Road, Ashtabula, Ohio 44005

Phone: 440-998-2788 **Fax:** 440-992-2925 **Toll-Free:** 1-800-321-7950 **www.wheelerrex.com**